

MBZM P/R ATEX



ATEX MEDIUM PRESSURE FAN WITH STRAIGHT IMPELLER

MANUFACTURING FEATURES:

- Fan made of Fe360 sheet. The fan paint finish is based on a Qualicoat polyester powder coating stoved at 200°C, with an average film thickness of 70 microns. Average heat resistance of coating is 180°C with peaks of 200°C.
- Simple inlet straight blade impeller made of Fe360 sheet statically and dynamically balanced. Impellers are painted with polyester primer that resists temperatures up to 300°C.
- ATEX asynchronous squirrel-cage motor ATEX certified according to the zone. and class F insulation. Manufactured with standard voltages: 230/400V 50Hz for three phase motors up to 4kW and 400/690V 50Hz for higher powers.
- Available positions (to be indicated in case of order): LG270, LG0, LG45, LG90, LG135, LG180, LG225, LG315, RD0, RD45, RD90, RD135, RD180, RD225, RD270, RD315.
- The indicated codes correspond to the model in position LG270

APPLICATIONS:

Designed for inline installation, they are suitable for:

- Solid material and textile fibers transport.
- Working temperature: ambient from -20°C to 40°C, transported air according to the ATEX classification.

UNDER REQUEST

- Fans for 60Hz and special voltages.
- Inox 304 (normal or electropolished finish)
- Inox 316 (normal or electropolished finish)
- Split casing (for big sizes)
- Drain plug.
- Frontal foot

Accessories



AB



AC



AVR



AVS



BA-400



**BADS
ATEX**



**BIDS
ATEX**



EI



FS



**INT
ATEX**



JE 45



SFC

Technical data

Three-phase motor / 2 poles

Code	Model	R.P.M.	Rated I. A 400V	Rated power kW	Max. Airflow m³/h	Sound db (A)**	Weight kg	Connect. diagram
501502215XN	MBZM 220 T2 0,37kW P/R ATEX	2850	1,00	0,37	870	51	20	1
501502516XN	MBZM 251 T2 0,55kW P/R ATEX	2840	1,45	0,55	1.090	55	25	1
501502517XN	MBZM 252 T2 0,75kW P/R ATEX	2870	2,00	0,75	1.230	56	30	1
501502818XN	MBZM 281 T2 1,1kW P/R ATEX	2830	2,6	1,10	1.380	57	33	1
501502819XN	MBZM 282 T2 1,5kW P/R ATEX	2850	3,95	1,50	1.810	59	37	1
501503119XN	MBZM 311 T2 1,5kW P/R ATEX	2850	3,95	1,50	1.630	58	43	1
501503127XN	MBZM 312 T2 2,2kW P/R ATEX	2840	5,4	2,20	2.170	61	47	1
501503529XN	MBZM 351 T2 3kW P/R ATEX	2900	7,3	3,00	2.530	63	63	1
501503532XN	MBZM 352 T2 4kW P/R ATEX	2910	9,2	4,00	3.610	65	72	1
501504034XN	MBZM 401 T2 5,5kW P/R ATEX	2910	11,46	5,50	4.330	67	101	1
501504036XN	MBZM 402 T2 7,5kW P/R ATEX	2910	14,1	7,50	5.410	68	106	1
501504521XN	MBZM 452 T2 11kW P/R ATEX	2940	21,4	11,00	7.210	71	155	1
501505024XN	MBZM 501 T2 15kW P/R ATEX	2935	27,4	15,00	9.010	73	180	1
501505028XN	MBZM 502 T2 22kW P/R ATEX	2940	39,8	22,00	10.810	74	250	1


Three-phase motor / 4 poles

Code	Model	R.P.M.	Rated I. A 400V	Rated power kW	Max. Airflow m³/h	Sound db (A)**	Weight kg	Connect. diagram
501504546XN	MBZM 454 T4 1,5kW P/R ATEX	1415	3,8	1,50	3.610	57	85	1
501505054XN	MBZM 503 T4 2,2kW P/R ATEX	1440	5,8	2,20	4.690	56	112	1
501505056XN	MBZM 504 T4 3kW P/R ATEX	1420	6,8	3,00	5.410	60	117	1
501505659XN	MBZM 561 T4 4kW P/R ATEX	1450	9,1	4,00	6.130	61	156	1
501505661XN	MBZM 562 T4 5,5kW P/R ATEX	1455	11,5	5,50	7.210	63	177	1
501506363XN	MBZM 631 T4 7,5kW P/R ATEX	1448	15,6	7,50	7.930	64	202	1
501506349XN	MBZM 632 T4 11kW P/R ATEX	1460	20,9	11,00	10.090	66	250	1
501507149XN	MBZM 711 T4 11kW P/R ATEX	1460	20,9	11,00	12.610	68	358	1
501507152XN	MBZM 712 T4 15kW P/R ATEX	1465	29,8	15,00	12.610	68	370	1
501508053XN	MBZM 801 T4 18,5kW P/R ATEX	1470	35,6	18,50	19.810	70	526	1
501508057XN	MBZM 802 T4 30kW P/R ATEX	1475	56,3	30,00	21.610	72	639	1
501509058XN	MBZM 901 T4 37kW P/R ATEX	1470	69,2	37,00	28.810	74	782	1
501509060XN	MBZM 902 T4 45kW P/R ATEX	1475	80,7	45,00	28.810	75	817	1
501510062XN	MBZM 1001 T4 55kW P/R ATEX	1475	97,1	55,00	36.010	76	1083	1
501510064XN	MBZM 1002 T4 75kW P/R ATEX	1485	133,00	75,00	42.130	77	1227	1

Notes:

** Total sound pressure level at the point of maximum flow measured in dB(A) in the suction measured in free field at a distance of 6m from the source

Dimensions



Model	A	B	C	D	D1	D2	D3	D4	D5
MBZM 220 T2 0,37kW P/R ATEX	62	337	391	165	232	200	226	190	175
MBZM 251 T2 0,55kW P/R ATEX	86	396	471	195	314	255	276	235	212
MBZM 252 T2 0,75kW P/R ATEX	86	420	471	195	314	255	276	235	212
MBZM 281 T2 1,1kW P/R ATEX	95	438	505	200	353	287	305	262	231
MBZM 282 T2 1,5kW P/R ATEX	95	485	505	200	353	287	305	262	231
MBZM 311 T2 1,5kW P/R ATEX	105	505	557	225	393	316	332	288	256
MBZM 312 T2 2,2kW P/R ATEX	105	505	557	225	393	316	332	288	256
MBZM 351 T2 3kW P/R ATEX	115	561	630	255	437	359	375	325	288
MBZM 352 T2 4kW P/R ATEX	115	582	630	255	437	359	375	325	288
MBZM 401 T2 5,5kW P/R ATEX	127	646	685	306	487	387	400	353	311
MBZM 402 T2 7,5kW P/R ATEX	127	646	685	306	487	387	400	353	311
MBZM 452 T2 11kW P/R ATEX	141	778	765	320	542	435	445	398	354
MBZM 454 T4 1,5kW P/R ATEX	141	581	765	320	542	435	445	398	354
MBZM 501 T2 15kW P/R ATEX	157	810	862	360	597	490	502	450	400
MBZM 502 T2 22kW P/R ATEX	157	891	862	360	597	490	502	450	400
MBZM 503 T4 2,2kW P/R ATEX	157	644	862	360	597	490	502	450	400
MBZM 504 T4 3kW P/R ATEX	157	644	862	360	597	490	502	450	400

Model	D6	D7	E	F	G	H	H1	H2	I
MBZM 220 T2 0,37kW P/R ATEX	190	280	430	150	55	165	165	255	121
MBZM 251 T2 0,55kW P/R ATEX	215	360	527	175	77	315	195	315	121
MBZM 252 T2 0,75kW P/R ATEX	215	360	527	175	77	315	195	315	121
MBZM 281 T2 1,1kW P/R ATEX	226	391	606	202	86	375	200	375	121
MBZM 282 T2 1,5kW P/R ATEX	226	391	606	202	86	375	200	375	133
MBZM 311 T2 1,5kW P/R ATEX	253	437	656	229	96	400	225	400	133
MBZM 312 T2 2,2kW P/R ATEX	253	437	656	229	96	400	225	400	133
MBZM 351 T2 3kW P/R ATEX	278	489	738	253	106	450	255	450	197
MBZM 352 T2 4kW P/R ATEX	278	489	738	253	106	450	255	450	197
MBZM 401 T2 5,5kW P/R ATEX	306	546	811	286	118	500	285	500	237
MBZM 402 T2 7,5kW P/R ATEX	306	546	811	286	118	500	285	500	237
MBZM 452 T2 11kW P/R ATEX	342	609	914	321	132	560	320	560	337
MBZM 454 T4 1,5kW P/R ATEX	342	609	914	321	132	560	320	560	133
MBZM 501 T2 15kW P/R ATEX	380	677	1000	355	148	600	360	600	337
MBZM 502 T2 22kW P/R ATEX	380	677	1000	355	148	600	360	600	357
MBZM 503 T4 2,2kW P/R ATEX	380	677	1000	355	148	600	360	600	197
MBZM 504 T4 3kW P/R ATEX	380	677	1000	355	148	600	360	600	197

Model	J	K	M	N1xØ1	N2xØ2	O6	Q	R	S
MBZM 220 T2 0,37kW P/R ATEX	203	225	195	Nº4 M6x20	4x8	115	48	26	226
MBZM 251 T2 0,55kW P/R ATEX	203	225	195	Nº8 M6x20	8x12	165	48	26	276
MBZM 252 T2 0,75kW P/R ATEX	203	225	217	Nº8 M6x20	8x12	165	48	48	276
MBZM 281 T2 1,1kW P/R ATEX	203	225	217	Nº8 M6x20	8x12	191	48	48	305
MBZM 282 T2 1,5kW P/R ATEX	234	260	251	Nº8 M6x20	8x12	191	58	60	305
MBZM 311 T2 1,5kW P/R ATEX	234	260	246	Nº8 M6x20	10x12	212	55	58	332
MBZM 312 T2 2,2kW P/R ATEX	234	260	246	Nº8 M6x20	10x12	212	55	17	332
MBZM 351 T2 3kW P/R ATEX	289	324	276	Nº8 M8x25	10x12	234	30	49	375
MBZM 352 T2 4kW P/R ATEX	289	324	276	Nº8 M8x25	10x12	234	30	23	375
MBZM 401 T2 5,5kW P/R ATEX	337	372	336	Nº8 M8x25	10x12	261	40	59	400
MBZM 402 T2 7,5kW P/R ATEX	337	372	336	Nº8 M8x25	10x12	261	40	59	400
MBZM 452 T2 11kW P/R ATEX	395	440	436	Nº8 M8x25	10x12	289	50	49	445


Model	J	K	M	N1xØ1	N2xØ2	O6	Q	R	S
MBZM 454 T4 1,5kW P/R ATEX	234	260	246	Nº8 M8x25	10x12	289	55	58	445
MBZM 501 T2 15kW P/R ATEX	395	440	436	Nº8 M8x25	14x12	317	50	49	502
MBZM 502 T2 22kW P/R ATEX	434	488	460	Nº8 M8x25	14x12	317	70	33	502
MBZM 503 T4 2,2kW P/R ATEX	289	324	276	Nº8 M8x25	14x12	317	30	49	502
MBZM 504 T4 3kW P/R ATEX	289	324	276	Nº8 M8x25	14x12	317	30	49	502

Model	S1	S2	S3	S4	S5	S6	S7	X	X1
MBZM 220 T2 0,37kW P/R ATEX	175	190	165	280	232	200	190	175	165
MBZM 251 T2 0,55kW P/R ATEX	212	215	195	360	314	255	235	212	195
MBZM 252 T2 0,75kW P/R ATEX	212	215	195	360	314	255	235	212	195
MBZM 281 T2 1,1kW P/R ATEX	231	226	200	391	353	287	262	231	200
MBZM 282 T2 1,5kW P/R ATEX	231	226	200	391	353	287	262	231	200
MBZM 311 T2 1,5kW P/R ATEX	256	253	225	437	393	316	288	256	225
MBZM 312 T2 2,2kW P/R ATEX	256	253	225	437	393	316	288	256	225
MBZM 351 T2 3kW P/R ATEX	288	278	255	489	437	359	325	288	255
MBZM 352 T2 4kW P/R ATEX	288	278	255	489	437	359	325	288	255
MBZM 401 T2 5,5kW P/R ATEX	311	306	285	546	487	387	353	311	285
MBZM 402 T2 7,5kW P/R ATEX	311	306	285	546	487	387	353	311	285
MBZM 452 T2 11kW P/R ATEX	354	342	320	609	542	435	398	354	320
MBZM 454 T4 1,5kW P/R ATEX	354	342	320	609	542	435	398	354	320
MBZM 501 T2 15kW P/R ATEX	400	380	360	677	597	490	450	400	360
MBZM 502 T2 22kW P/R ATEX	400	380	360	677	597	490	450	400	360
MBZM 503 T4 2,2kW P/R ATEX	400	380	360	677	597	490	450	400	360
MBZM 504 T4 3kW P/R ATEX	400	380	360	677	597	490	450	400	360

Model	X2	X3	X4	X5	X6	X7	a	a1	a2
MBZM 220 T2 0,37kW P/R ATEX	280	232	200	226	190	190	124	145	164
MBZM 251 T2 0,55kW P/R ATEX	360	314	255	276	235	215	207	241	277
MBZM 252 T2 0,75kW P/R ATEX	360	314	255	276	235	215	207	241	277
MBZM 281 T2 1,1kW P/R ATEX	391	353	287	305	262	226	231	265	301
MBZM 282 T2 1,5kW P/R ATEX	391	353	287	305	262	226	231	265	301
MBZM 311 T2 1,5kW P/R ATEX	437	393	316	332	288	253	258	292	328
MBZM 312 T2 2,2kW P/R ATEX	437	393	316	332	288	253	258	292	328
MBZM 351 T2 3kW P/R ATEX	489	437	359	375	325	278	288	332	368
MBZM 352 T2 4kW P/R ATEX	489	437	359	375	325	278	288	332	368
MBZM 401 T2 5,5kW P/R ATEX	546	487	387	400	353	306	322	366	402
MBZM 402 T2 7,5kW P/R ATEX	546	487	387	400	353	306	322	366	402

Model	X2	X3	X4	X5	X6	X7	a	a1	a2
MBZM 452 T2 11kW P/R ATEX	609	542	435	445	398	342	361	405	441
MBZM 454 T4 1,5kW P/R ATEX	609	542	435	445	398	342	361	405	441
MBZM 501 T2 15kW P/R ATEX	677	597	490	502	450	380	404	448	484
MBZM 502 T2 22kW P/R ATEX	677	597	490	502	450	380	404	448	484
MBZM 503 T4 2,2kW P/R ATEX	677	597	490	502	450	380	404	448	484
MBZM 504 T4 3kW P/R ATEX	677	597	490	502	450	380	404	448	484

Model	b	b1	b2	d	d1	d2	n1xp	n2xp	Ø3
MBZM 220 T2 0,37kW P/R ATEX	103	125	143	130	150	170	-	-	10
MBZM 251 T2 0,55kW P/R ATEX	148	182	218	185	219	250	1x112	1x112	10
MBZM 252 T2 0,75kW P/R ATEX	148	182	218	185	219	250	1x112	1x112	10
MBZM 281 T2 1,1kW P/R ATEX	166	200	236	205	241	275	1x112	1x112	10
MBZM 282 T2 1,5kW P/R ATEX	166	200	236	205	241	275	1x112	1x112	10
MBZM 311 T2 1,5kW P/R ATEX	185	219	255	228	265	298	1x112	2x112	10
MBZM 312 T2 2,2kW P/R ATEX	185	219	255	228	265	298	1x112	2x112	10
MBZM 351 T2 3kW P/R ATEX	205	249	285	255	292	325	1x125	2x125	12
MBZM 352 T2 4kW P/R ATEX	205	249	285	255	292	325	1x125	2x125	12
MBZM 401 T2 5,5kW P/R ATEX	229	273	309	285	332	365	1x125	2x125	12
MBZM 402 T2 7,5kW P/R ATEX	229	273	309	285	332	365	1x125	2x125	12
MBZM 452 T2 11kW P/R ATEX	256	300	336	320	366	400	1x125	2x125	14
MBZM 454 T4 1,5kW P/R ATEX	256	300	336	320	366	400	1x125	2x125	10
MBZM 501 T2 15kW P/R ATEX	288	332	368	360	405	440	2x125	3x125	14
MBZM 502 T2 22kW P/R ATEX	288	332	368	360	405	440	2x125	3x125	17
MBZM 503 T4 2,2kW P/R ATEX	288	332	368	360	405	440	2x125	3x125	12
MBZM 504 T4 3kW P/R ATEX	288	332	368	360	405	440	2x125	3x125	12



Model	A	B	C	D	D1	D2	D3	D4	D5
MBZM 561 T4 4kW P/R ATEX	177	712	970	400	657	555	570	542	485
MBZM 562 T4 5,5kW P/R ATEX	177	752	970	400	657	555	570	542	485
MBZM 631 T4 7,5kW P/R ATEX	195	792	1080	450	733	619	630	603	550
MBZM 632 T4 11kW P/R ATEX	195	897	1080	450	733	619	630	603	550

Model	D6	D7	E	F	G	H	H1	H2	I
MBZM 561 T4 4kW P/R ATEX	425	747	1155	390	165	670	400	670	197
MBZM 562 T4 5,5kW P/R ATEX	425	747	1155	390	165	670	400	670	237
MBZM 631 T4 7,5kW P/R ATEX	476	836	1300	439	185	750	450	750	237
MBZM 632 T4 11kW P/R ATEX	476	836	1300	439	185	750	450	750	337


Model	J	K	L	M	N	N1xØ1	N2xØ2	O	O6
MBZM 561 T4 4kW P/R ATEX	289	324	692	277	326	Nº12 M8x25	14x12	53	347
MBZM 562 T4 5,5kW P/R ATEX	337	372	692	337	326	Nº12 M8x25	14x12	53	347
MBZM 631 T4 7,5kW P/R ATEX	337	372	762	337	366	Nº12 M8x25	14x12	53	386
MBZM 632 T4 11kW P/R ATEX	395	440	762	437	366	Nº12 M8x25	14x12	53	386

Model	P	R	S	S1	S2	S3	S4	S5	S6
MBZM 561 T4 4kW P/R ATEX	632	49	570	485	425	400	747	657	555
MBZM 562 T4 5,5kW P/R ATEX	632	59	570	485	425	400	747	657	555
MBZM 631 T4 7,5kW P/R ATEX	702	59	630	550	476	450	836	733	619
MBZM 632 T4 11kW P/R ATEX	702	49	630	550	476	450	836	733	619

Model	S7	T	U	W	X	X1	X2	X3	X4
MBZM 561 T4 4kW P/R ATEX	542	23	656	387	485	400	747	657	555
MBZM 562 T4 5,5kW P/R ATEX	542	23	716	397	485	400	747	657	555
MBZM 631 T4 7,5kW P/R ATEX	603	23	755	436	550	450	836	733	619
MBZM 632 T4 11kW P/R ATEX	603	23	855	446	550	450	836	733	619

Model	X5	X6	X7	a	a1	a2	b	b1	b2
MBZM 561 T4 4kW P/R ATEX	570	542	425	453	497	533	322	366	402
MBZM 562 T4 5,5kW P/R ATEX	570	542	425	453	497	533	322	366	402
MBZM 631 T4 7,5kW P/R ATEX	630	603	476	507	551	587	361	405	441
MBZM 632 T4 11kW P/R ATEX	630	603	476	507	551	587	361	405	441

Model	d	d1	d2	n1xp	n2xp	Ø3
MBZM 561 T4 4kW P/R ATEX	405	448	485	2x125	3x125	12
MBZM 562 T4 5,5kW P/R ATEX	405	448	485	2x125	3x125	12
MBZM 631 T4 7,5kW P/R ATEX	455	497	535	2x125	3x125	12
MBZM 632 T4 11kW P/R ATEX	455	497	535	2x125	3x125	14



Model	A	B	C	D	D1	D2	D3	D4	D5
MBZM 711 T4 11kW P/R ATEX	216	942	1190	500	835	719	690	662	565
MBZM 712 T4 15kW P/R ATEX	216	942	1190	500	835	719	690	662	565
MBZM 801 T4 18,5kW P/R ATEX	241	1092	1342	560	929	811	782	749	641
MBZM 802 T4 30kW P/R ATEX	241	1200	1342	560	929	811	782	749	641
MBZM 901 T4 37kW P/R ATEX	275	1236	1500	630	1038	905	870	835	721
MBZM 902 T4 45kW P/R ATEX	275	1296	1500	630	1038	905	870	835	721
MBZM 1001 T4 55kW P/R ATEX	308	1486	1686	710	1171	1015	976	936	814
MBZM 1002 T4 75kW P/R ATEX	308	1489	1686	710	1171	1015	976	936	814

Model	D6	D7	E	F	G	H	H1	H2	I
MBZM 711 T4 11kW P/R ATEX	497	944	1415	500	202	670	500	850	316
MBZM 712 T4 15kW P/R ATEX	497	944	1415	500	202	670	500	850	316
MBZM 801 T4 18,5kW P/R ATEX	562	1053	1591	560	226	755	560	950	361
MBZM 802 T4 30kW P/R ATEX	562	1053	1591	560	226	755	560	950	401
MBZM 901 T4 37kW P/R ATEX	633	1180	1781	1038	253	850	630	1060	441
MBZM 902 T4 45kW P/R ATEX	633	1180	1781	1038	253	850	630	1060	441
MBZM 1001 T4 55kW P/R ATEX	718	1330	1994	710	284	950	710	1180	500
MBZM 1002 T4 75kW P/R ATEX	718	1330	1994	710	284	950	710	1180	590

Model	J	K	L	M	N	N1xØ1	N2xØ2	O	O6
MBZM 711 T4 11kW P/R ATEX	772	826	914	436	404	Nº12 M8x25	14x14	60	444
MBZM 712 T4 15kW P/R ATEX	772	826	914	436	404	Nº12 M8x25	14x14	60	444
MBZM 801 T4 18,5kW P/R ATEX	862	926	1044	460	453	Nº12 M8x25	14x14	80	493
MBZM 802 T4 30kW P/R ATEX	862	926	1044	500	453	Nº12 M8x25	14x14	80	493
MBZM 901 T4 37kW P/R ATEX	962	1026	1144	540	507	Nº12 M10x30	16x14	80	550
MBZM 902 T4 45kW P/R ATEX	962	1026	1144	540	507	Nº12 M10x30	16x14	80	550
MBZM 1001 T4 55kW P/R ATEX	1056	1128	1254	600	569	Nº16 M10x30	14x14	100	620
MBZM 1002 T4 75kW P/R ATEX	1056	1128	1254	690	569	Nº16 M10x30	14x14	100	620

Model	P	R	S	S1	S2	S3	S4	S5	S6
MBZM 711 T4 11kW P/R ATEX	772	49	690	565	497	500	944	835	719
MBZM 712 T4 15kW P/R ATEX	772	49	690	565	497	500	944	835	719
MBZM 801 T4 18,5kW P/R ATEX	862	39	782	641	562	560	1053	929	811
MBZM 802 T4 30kW P/R ATEX	862	39	782	641	562	560	1053	929	811
MBZM 901 T4 37kW P/R ATEX	962	39	870	721	633	630	1180	1038	905
MBZM 902 T4 45kW P/R ATEX	962	39	870	721	633	630	1180	1038	905
MBZM 1001 T4 55kW P/R ATEX	1056	45	976	814	718	710	1330	1171	1015
MBZM 1002 T4 75kW P/R ATEX	1056	45	976	814	718	710	1330	1171	1015

Model	S7	T	U	W	X	X1	X2	X3	X4
MBZM 711 T4 11kW P/R ATEX	662	27	889	497	565	500	944	835	719
MBZM 712 T4 15kW P/R ATEX	662	27	889	497	565	500	944	835	719
MBZM 801 T4 18,5kW P/R ATEX	749	47	993	546	641	560	1053	929	811
MBZM 802 T4 30kW P/R ATEX	749	47	1033	546	641	560	1053	929	811
MBZM 901 T4 37kW P/R ATEX	835	47	1127	600	721	630	1180	1038	905
MBZM 902 T4 45kW P/R ATEX	835	47	1127	600	721	630	1180	1038	905
MBZM 1001 T4 55kW P/R ATEX	936	67	1269	657	814	710	1330	1171	1015
MBZM 1002 T4 75kW P/R ATEX	936	67	1359	657	814	710	1330	1171	1015

Model	X5	X6	X7	a	a1	a2	b	b1	b2
MBZM 711 T4 11kW P/R ATEX	690	662	497	569	629	669	404	464	669
MBZM 712 T4 15kW P/R ATEX	690	662	497	569	629	669	404	464	504
MBZM 801 T4 18,5kW P/R ATEX	782	749	562	638	698	738	453	513	553
MBZM 802 T4 30kW P/R ATEX	782	749	562	638	698	738	453	513	553
MBZM 901 T4 37kW P/R ATEX	870	835	633	715	775	815	507	567	607


Model	X5	X6	X7	a	a1	a2	b	b1	b2
MBZM 902 T4 45kW P/R ATEX	870	835	633	715	775	815	507	567	607
MBZM 1001 T4 55kW P/R ATEX	976	936	718	801	871	921	569	639	689
MBZM 1002 T4 75kW P/R ATEX	976	936	718	801	871	921	569	639	689

Model	d	d1	d2	n1xp	n2xp	Ø3
MBZM 711 T4 11kW P/R ATEX	505	551	585	2x160	3x160	20
MBZM 712 T4 15kW P/R ATEX	505	551	585	2x160	3x160	20
MBZM 801 T4 18,5kW P/R ATEX	565	629	665	2x160	3x160	20
MBZM 802 T4 30kW P/R ATEX	565	629	665	2x160	3x160	20
MBZM 901 T4 37kW P/R ATEX	635	698	735	2x160	4x160	20
MBZM 902 T4 45kW P/R ATEX	635	698	735	2x160	4x160	20
MBZM 1001 T4 55kW P/R ATEX	715	775	815	2x200	3x200	20
MBZM 1002 T4 75kW P/R ATEX	715	775	815	2x200	3x200	20


Wiring diagram

Wiring diagram N° 1

230/400V




400/690V



CHARACTERISCTIC CURVE


1	MBZM 220 T2 0,37kW P/R ATEX	2	MBZM 251 T2 0,55kW P/R ATEX	3	MBZM 252 T2 0,75kW P/R ATEX	4	MBZM 281 T2 1,1kW P/R ATEX
5	MBZM 282 T2 1,5kW P/R ATEX	6	MBZM 311 T2 1,5kW P/R ATEX	7	MBZM 312 T2 2,2kW P/R ATEX		

AIR FLOW - PRESSURE




1	MBZM 351 T2 3kW P/R ATEX	2	MBZM 352 T2 4kW P/R ATEX	3	MBZM 401 T2 5,5kW P/R ATEX	4	MBZM 402 T2 7,5kW P/R ATEX
5	MBZM 452 T2 11kW P/R ATEX	6	MBZM 501 T2 15kW P/R ATEX	7	MBZM 502 T2 22kW P/R ATEX		

AIR FLOW - PRESSURE




AIR FLOW - ABSORBED POWER




1	MBZM 454 T4 1,5kW P/R ATEX	2	MBZM 503 T4 2,2kW P/R ATEX	3	MBZM 504 T4 3kW P/R ATEX	4	MBZM 561 T4 4kW P/R ATEX
5	MBZM 562 T4 5,5kW P/R ATEX	6	MBZM 631 T4 7,5kW P/R ATEX	7	MBZM 632 T4 11kW P/R ATEX	8	MBZM 711 T4 11kW P/R ATEX

AIR FLOW - PRESSURE



1	MBZM 712 T4 15kW P/R ATEX	2	MBZM 801 T4 18,5kW P/R ATEX	3	MBZM 802 T4 30kW P/R ATEX	4	MBZM 901 T4 37kW P/R ATEX
5	MBZM 902 T4 45kW P/R ATEX	6	MBZM 1001 T4 55kW P/R ATEX	7	MBZM 1002 T4 75kW P/R ATEX		

AIR FLOW - PRESSURE



Sound data

Sound / 2 poles

Sound power Lw dB (A)										
Model		63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	Total
MBZM 220 T2 0,37kW P/R ATEX	Inlet	50	62	68	72	73	68	62	59	77
MBZM 251 T2 0,55kW P/R ATEX	Inlet	53	65	72	76	77	72	65	62	81
MBZM 252 T2 0,75kW P/R ATEX	Inlet	54	66	72	76	77	73	66	63	82
MBZM 281 T2 1,1kW P/R ATEX	Inlet	55	67	73	78	78	74	67	64	83
MBZM 282 T2 1,5kW P/R ATEX	Inlet	57	69	75	80	80	76	69	66	85
MBZM 311 T2 1,5kW P/R ATEX	Inlet	56	68	75	79	80	75	69	66	84
MBZM 312 T2 2,2kW P/R ATEX	Inlet	59	71	78	82	83	78	72	69	87
MBZM 351 T2 3kW P/R ATEX	Inlet	61	73	80	84	85	80	74	71	89
MBZM 352 T2 4kW P/R ATEX	Inlet	63	75	82	86	87	82	75	72	91
MBZM 401 T2 5,5kW P/R ATEX	Inlet	65	77	84	88	89	84	77	74	93
MBZM 402 T2 7,5kW P/R ATEX	Inlet	67	79	85	89	90	85	79	76	94
MBZM 452 T2 11kW P/R ATEX	Inlet	69	81	88	92	93	88	82	79	97
MBZM 501 T2 15kW P/R ATEX	Inlet	71	83	90	94	95	90	83	80	99
MBZM 502 T2 22kW P/R ATEX	Inlet	73	85	91	95	96	91	85	82	100

Sound / 4 poles

Sound power Lw dB (A)										
Model		63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	Total
MBZM 454 T4 1,5kW P/R ATEX	Inlet	56	68	74	78	79	74	68	65	83
MBZM 503 T4 2,2kW P/R ATEX	Inlet	55	67	73	77	78	73	67	64	82
MBZM 504 T4 3kW P/R ATEX	Inlet	58	70	77	81	82	77	71	68	86
MBZM 561 T4 4kW P/R ATEX	Inlet	60	72	78	82	83	78	72	69	87
MBZM 562 T4 5,5kW P/R ATEX	Inlet	61	73	80	84	85	80	74	71	89
MBZM 631 T4 7,5kW P/R ATEX	Inlet	62	74	81	85	86	86	75	72	90
MBZM 632 T4 11kW P/R ATEX	Inlet	64	76	83	87	88	83	76	73	92
MBZM 711 T4 11kW P/R ATEX	Inlet	66	78	85	89	90	85	79	76	94
MBZM 712 T4 15kW P/R ATEX	Inlet	66	78	85	89	90	85	79	76	94
MBZM 801 T4 18,5kW P/R ATEX	Inlet	69	81	87	91	92	88	81	78	96
MBZM 802 T4 30kW P/R ATEX	Inlet	70	82	89	93	94	89	83	80	98
MBZM 901 T4 37kW P/R ATEX	Inlet	73	85	91	95	96	91	85	82	100
MBZM 902 T4 45kW P/R ATEX	Inlet	73	85	91	95	96	92	85	82	101
MBZM 1001 T4 55kW P/R ATEX	Inlet	74	86	92	96	97	93	86	83	102
MBZM 1002 T4 75kW P/R ATEX	Inlet	76	88	94	98	99	94	88	85	103